




General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice A



Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details

Site at 321280, 691110



General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID


Water Framework Directive - Surface Water Quality

- High
- Good
- Moderate
- Poor
- Bad

Contours (height in meters)

- Standard Contour
- Master Contour
- Spot Height
- MLW Mean Low Water
- MHW Mean High Water

WFD Surface Waters Map - Slice A



Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details


Site at 321280, 691110

General


 Specified Site  Specified Buffer(s)  Bearing Reference Point

Estimated Soil Chemistry Arsenic

Arsenic Concentrations mg/kg



Estimated Soil Chemistry Arsenic - Slice A



Order Details

Order Details: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details


Site at 321280, 691110

General


Specified Site Specified Buffer(s) Bearing Reference Point

Estimated Soil Chemistry Cadmium

Cadmium Concentrations mg/kg



Estimated Soil Chemistry Cadmium - Slice A



Order Details

Order Details: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details


Site at 321280, 691110

General


 Specified Site  Specified Buffer(s)  Bearing Reference Point

Estimated Soil Chemistry Chromium

Chromium Concentrations mg/kg



Estimated Soil Chemistry Chromium - Slice A



Order Details

Order Details: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details


Site at 321280, 691110

General


 Specified Site  Specified Buffer(s)  Bearing Reference Point

Estimated Soil Chemistry Lead

Lead Concentrations mg/kg



Estimated Soil Chemistry Lead - Slice A



Order Details

Order Details: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details


Site at 321280, 691110

General


 Specified Site  Specified Buffer(s)  Bearing Reference Point

Estimated Soil Chemistry Nickel

Nickel Concentrations mg/kg



Estimated Soil Chemistry Nickel - Slice A




Order Details

Order Details: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 320340, 690780
Slice: A
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details

Site at 321280, 691110



GEO-ENVIRONMENTAL & MINERALS

Groundwater Vulnerability

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Agency and Hydrological


Geological Classes

- Highly Permeable
- Moderately Permeable
- Weakly Permeable
- Water or Sea
- Drift Deposit

Soil Classes

- High
- Intermediate
- Low

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 375590888_1_1
 Customer Ref: ZG116-01
 National Grid Reference: 321880, 690770
 Slice: B
 Site Area (Ha): 68.73
 Search Buffer (m): 1000

Site Details

Site at 321280, 691110



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



GEO-ENVIRONMENTAL & MINERALS

Source Protection Zones


General

- ◊ Specified Site
- Specified Buffer(s)
- X Bearing Reference Point
- Slice
- B Map ID

Agency and Hydrological

- Inner zone (Zone 1)
- Inner zone - subsurface activity only (Zone 1c)
- Outer zone (Zone 2)
- Outer zone - subsurface activity only (Zone 2c)
- Total catchment (Zone 3)
- Total catchment - subsurface activity only (Zone 3c)
- Special interest (Zone 4)

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 375590888_1_1
 Customer Ref: ZG116-01
 National Grid Reference: 321880, 690770
 Slice: B
 Site Area (Ha): 68.73
 Search Buffer (m): 1000

Site Details

Site at 321280, 691110



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



GEO-ENVIRONMENTAL & MINERALS

Sensitive Land Uses


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Sensitive Land Uses

- Ancient Woodland
- Area of Adopted Green Belt
- Area of Unadopted Green Belt
- Environmentally Sensitive Area
- Forest Park
- Local Nature Reserve
- Marine Nature Reserve
- National Nature Reserve
- National Park
- National Scenic Area
- Nitrate Sensitive Area
- Nitrate Vulnerable Zone
- Ramsar Site
- Site of Special Scientific Interest
- Special Area of Conservation
- Special Protection Area
- World Heritage Sites

Site Sensitivity Context Map - Slice B



Order Details


Order Number: 375590888_1_1
 Customer Ref: ZG116-01
 National Grid Reference: 321880, 690770
 Slice: B
 Site Area (Ha): 68.73
 Search Buffer (m): 1000

Site Details

Site at 321280, 691110



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



© Crown copyright and database rights 2025 OS AC0000613445



GEO-ENVIRONMENTAL & MINERALS

BGS Flood GFS Data


General

- ◇ Specified Site
- ◇ Specified Buffer(s)
- X Bearing Reference Point
- Slice

Agency and Hydrological (Flood)

- Limited Potential for Groundwater Flooding to Occur
- Potential for Groundwater Flooding of Property Situated Below Ground Level
- Potential for Groundwater Flooding to Occur at Surface

Site Sensitivity Context Map - Slice B



Order Details

Order Number: 375590888_1_1
 Customer Ref: ZG116-01
 National Grid Reference: 321880, 690770
 Slice: B
 Site Area (Ha): 68.73
 Search Buffer (m): 1000

Site Details

Site at 321280, 691110



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk

Envirocheck[®] Report:

Datasheet

Order Details:

Order Number:

375590888_1_1

Customer Reference:

ZG116-01

National Grid Reference:

321880, 690770

Slice:

B

Site Area (Ha):

68.73

Search Buffer (m):

1000

Site Details:

Site at 321280, 691110

Client Details:

Ms Townley
Johnson Poole & Bloomer Ltd
Harris & Pearson Building
56 Brettell Lane
Brierley Hill
West Midlands
DY5 3LH

Report Section	Page Number
Summary	-
Agency & Hydrological	1
Waste	18
Hazardous Substances	-
Geological	19
Industrial Land Use	30
Sensitive Land Use	32
Data Currency	33
Data Suppliers	37
Useful Contacts	38

Introduction

The Environment Act 1995 has made site sensitivity a key issue, as the legislation pays as much attention to the pathways by which contamination could spread, and to the vulnerable targets of contamination, as it does the potential sources of contamination. For this reason, Landmark's Site Sensitivity maps and Datasheet(s) place great emphasis on statutory data provided by the Environment Agency/Natural Resources Wales and the Scottish Environment Protection Agency; it also incorporates data from Natural England (and the Scottish and Welsh equivalents) and Local Authorities; and highlights hydrogeological features required by environmental and geotechnical consultants. It does not include any information concerning past uses of land. The datasheet is produced by querying the Landmark database to a distance defined by the client from a site boundary provided by the client. In this datasheet the National Grid References (NGRs) are rounded to the nearest 10m in accordance with Landmark's agreements with a number of Data Suppliers.

Copyright Notice

© Landmark Information Group Limited 2025. The Copyright on the information and data and its format as contained in this Envirocheck® Report ("Report") is the property of Landmark Information Group Limited ("Landmark") and several other Data Providers, including (but not limited to) Ordnance Survey, British Geological Survey, the Environment Agency/Natural Resources Wales and Natural England, and must not be reproduced in whole or in part by photocopying or any other method. The Report is supplied under Landmark's Terms and Conditions accepted by the Customer. A copy of Landmark's Terms and Conditions can be found with the Index Map for this report. Additional copies of the Report may be obtained from Landmark, subject to Landmark's charges in force from time to time. The Copyright, design rights and any other intellectual rights shall remain the exclusive property of Landmark and /or other Data providers, whose Copyright material has been included in this Report. © Environment Agency & United Kingdom Research and Innovation 2025. © Natural Resources Wales & United Kingdom Research and Innovation 2025.

Natural England Copyright Notice

Site of Special Scientific Interest, National Nature Reserve, Ramsar, Special Protection Area, Special Conservation Area, Marine Nature Reserve data (derived from Ordnance Survey 1:10000 raster) is provided by, and used with the permission of, Natural England who retain the copyright and Intellectual Property Rights for the data.

Scottish Natural Heritage Copyright

Contains SNH information licensed under the Open Government Licence v3.0.

Ove Arup Copyright Notice

The Mining Instability data was obtained on licence from Ove Arup & Partners Limited (for further information, contact mining.review@arup.com). No reproduction or further use of such Data is to be made without the prior written consent of Ove Arup & Partners Limited. The supplied Mining Instability data is derived from publicly available records and other third party sources and neither Ove Arup & Partners nor Landmark warrant the accuracy or completeness of such information or data.

Stantec Copyright Notice

The cavity data presented has been extracted from the PBA (now Stantec UK Ltd) enhanced version of the original DEFRA national cavity databases. Stantec UK Ltd retain the copyright & intellectual property rights in the data. Whilst all reasonable efforts are made to check that the information contained in the cavity databases is accurate we do not warrant that the data is complete or error free. The information is based upon our own researches and those collated from a number of external sources and is continually being augmented and updated by Stantec UK Ltd. In no event shall Stantec UK Ltd or Landmark be liable for any loss or damage including, without limitation, indirect or consequential loss or damage arising from the use of this data.

Radon Potential dataset Copyright Notice

Information supplied from a joint dataset compiled by The British Geological Survey and Public Health England. The probability result is only valid for properties above ground. All basement and cellar areas are considered to be at additional risk from high radon levels. If an underground room such as a cellar or basement makes up part of the living or working accommodation, the property should be tested regardless of Radon Affected Area status.

Natural Resources Wales Copyright Notice

Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Contains Ordnance Survey Data. Ordnance Survey Licence number 100019741. Crown Copyright and Database Right. Contains Natural Resources Wales information © Natural Resources Wales and Database Right. All rights Reserved. Some features of this information are based on digital spatial data licensed from the Centre for Ecology & Hydrology © NERC (CEH). Defra, Met Office and DARD Rivers Agency © Crown copyright. © Cranfield University. © James Hutton Institute. Contains OS data © Crown copyright and database right 2025. Land & Property Services © Crown copyright and database right.

Report Version v53.0

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Agency & Hydrological					
BGS Groundwater Flooding Susceptibility	pg 1	Yes	Yes	Yes	n/a
Contaminated Land Register Entries and Notices					
Discharge Consents	pg 11	1			5
Prosecutions					
Enforcement and Prohibition Notices					
Integrated Pollution Controls					
Integrated Pollution Prevention And Control					
Local Authority Integrated Pollution Prevention And Control					
Local Authority Pollution Prevention and Controls					
Local Authority Pollution Prevention and Control Enforcements					
Nearest Surface Water Feature		Yes			
Pollution Incidents to Controlled Waters					
Historical Prosecutions					
Registered Radioactive Substances					
Substantiated Pollution Incident Register					
Water Abstractions					
Water Industry Act Referrals					
Groundwater Vulnerability	pg 12	Yes	n/a	n/a	n/a
Drift Deposits	pg 12	1	n/a	n/a	n/a
Source Protection Zones					
River Flood Data (Scotland)				n/a	n/a
OS Water Network Lines	pg 12	7	9	4	13
Water Framework Directive - Catchment	pg 16	Yes	Yes		
Water Framework Directive - Groundwater	pg 16	Yes			
Water Framework Directive - Surface Waters	pg 17	Yes			Yes
Waste					
BGS Recorded Landfill Sites					
Integrated Pollution Control Registered Waste Sites					
Licensed Waste Management Facilities (Landfill Boundaries)					
Licensed Waste Management Facilities (Locations)					
Local Authority Landfill Coverage	pg 18	1	n/a	n/a	n/a
Local Authority Recorded Landfill Sites					
Potentially Infilled Land (Non-Water)	pg 18				1
Potentially Infilled Land (Water)	pg 18		1		
Registered Landfill Sites					
Registered Waste Transfer Sites					
Registered Waste Treatment or Disposal Sites					

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Hazardous Substances					
Control of Major Accident Hazards Sites (COMAH)					
Explosive Sites					
Notification of Installations Handling Hazardous Substances (NIHHS)					
Planning Hazardous Substance Consents					
Planning Hazardous Substance Enforcements					
Geological					
BGS 1:625,000 Solid Geology	pg 19	Yes	n/a	n/a	n/a
BGS Estimated Soil Chemistry	pg 19	Yes	Yes	Yes	Yes
BGS Recorded Mineral Sites	pg 26		1		1
BGS Urban Soil Chemistry					
BGS Urban Soil Chemistry Averages					
CBSCB Compensation District			n/a	n/a	n/a
Coal Mining Affected Areas	pg 27	Yes	n/a	n/a	n/a
Mining Instability			n/a	n/a	n/a
Man-Made Mining Cavities					
Natural Cavities					
Non Coal Mining Areas of Great Britain	pg 27	Yes		n/a	n/a
Potential for Collapsible Ground Stability Hazards	pg 27	Yes		n/a	n/a
Potential for Compressible Ground Stability Hazards				n/a	n/a
Potential for Ground Dissolution Stability Hazards				n/a	n/a
Potential for Landslide Ground Stability Hazards	pg 27	Yes	Yes	n/a	n/a
Potential for Running Sand Ground Stability Hazards	pg 28	Yes		n/a	n/a
Potential for Shrinking or Swelling Clay Ground Stability Hazards	pg 28	Yes		n/a	n/a
Radon Potential - Radon Affected Areas			n/a	n/a	n/a
Radon Potential - Radon Protection Measures			n/a	n/a	n/a
Industrial Land Use					
Contemporary Trade Directory Entries	pg 30		3		2
Fuel Station Entries					
Points of Interest - Commercial Services	pg 30		1		
Points of Interest - Education and Health					
Points of Interest - Manufacturing and Production	pg 30		1		1
Points of Interest - Public Infrastructure	pg 30	4			3
Points of Interest - Recreational and Environmental	pg 31			1	

Data Type	Page Number	On Site	0 to 250m	251 to 500m	501 to 1000m (*up to 2000m)
Sensitive Land Use					
Ancient Woodland	pg 32				4
Areas of Adopted Green Belt					
Areas of Unadopted Green Belt					
Environmentally Sensitive Areas					
Forest Parks					
Local Nature Reserves					
Marine Nature Reserves					
National Nature Reserves					
National Parks					
National Scenic Areas					
Nitrate Sensitive Areas					
Nitrate Vulnerable Zones					
Ramsar Sites					
Sites of Special Scientific Interest	pg 32		1		
Special Areas of Conservation					
Special Protection Areas					
World Heritage Sites					

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321450 691100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SW (NW)	0	1	321500 691050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	320650 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321200 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321300 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321350 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321450 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321500 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	321050 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321150 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321200 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	321450 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NW)	0	1	321600 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NW)	0	1	321650 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	320950 690700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SW (NW)	0	1	321400 691050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (NW)	0	1	321550 691000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (NE)	0	1	321880 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (NW)	0	1	321400 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (NW)	0	1	321450 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	320600 690950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321100 690950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321150 690950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321200 690950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	320850 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321100 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321150 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321250 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	321400 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	321500 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321550 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NW (NW)	0	1	321300 691450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	321400 691450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	321500 691450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	320950 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321000 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321050 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321100 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	321150 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	0	1	321300 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	0	1	321350 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	320950 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321000 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NE (W)	0	1	321600 690850

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	320850 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(NW)	0	1	320900 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321100 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321150 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	321200 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	320900 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321100 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321200 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	0	1	321400 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	0	1	321550 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (W)	0	1	321600 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	321150 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321200 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	0	1	321450 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	320800 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	320900 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	320950 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321000 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321150 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321200 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	321300 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SW (NW)	0	1	321550 691250

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321150 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321250 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	0	1	321300 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NW (W)	0	1	321500 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321000 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321050 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321100 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	0	1	321150 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	0	1	321250 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SW (NW)	0	1	321350 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321250 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NW (W)	0	1	321300 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	0	1	321050 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	0	1	321100 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(W)	0	1	321200 691050
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NW (W)	0	1	321350 690700
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	3	1	321500 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	8	1	320700 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	9	1	320900 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NE (W)	11	1	321600 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	15	1	321200 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	16	1	320700 691300

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	20	1	320800 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	21	1	321000 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (NW)	22	1	321650 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	26	1	320850 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	27	1	320650 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (W)	40	1	321650 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	42	1	321250 691550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	43	1	320950 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	43	1	320800 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (W)	44	1	321300 690600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(NW)	45	1	320600 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	48	1	320700 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	49	1	321650 691550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (NW)	51	1	321700 691050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NE (W)	51	1	321650 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	53	1	321750 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NW (NW)	53	1	321550 691450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	54	1	320750 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9NE (N)	55	1	321880 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	55	1	320750 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	56	1	321200 691550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	59	1	320800 690750

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	74	1	320600 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	77	1	321250 690550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(W)	78	1	320650 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	82	1	321750 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (W)	88	1	321700 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	89	1	320700 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (W)	92	1	321300 690550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	96	1	321800 691200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	102	1	321200 690500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (N)	103	1	321750 691100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (W)	107	1	321350 690550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	107	1	320850 690650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	110	1	321800 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (NW)	113	1	321750 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (N)	122	1	321800 691150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	125	1	321250 690500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	126	1	320700 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(NW)	133	1	320950 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (W)	136	1	321750 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	139	1	321850 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	140	1	321300 690500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	141	1	321200 690450

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (N)	149	1	321850 690950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	153	1	321650 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	155	1	321350 690500
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	158	1	321150 690400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (NW)	159	1	321800 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B10SW (SE)	162	1	321950 690650
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (SW)	170	1	321550 690500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	172	1	321250 690450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	181	1	320600 690750
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	181	1	321850 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	184	1	321200 690400
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (W)	185	1	321800 690768
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	186	1	321750 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	187	1	321300 690450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	188	1	321100 690350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (N)	189	1	321880 691250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SE (N)	190	1	321880 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (W)	198	1	321800 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	202	1	321150 690350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	209	1	321700 691550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SW (SW)	215	1	321400 690450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	216	1	320750 690600

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	221	1	321880 691400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	226	1	321800 691500
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	(SW)	227	1	321250 690350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	238	1	321100 690300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13SE (N)	240	1	321900 691300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	241	1	321550 691750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (NW)	245	1	321850 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13SE (N)	248	1	321900 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	249	1	321500 691750
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (N)	249	1	321880 690950
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9SW (SW)	250	1	321350 690400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	251	1	321750 691550
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B13NE (N)	270	1	321850 691550
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	286	1	321000 690250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	286	1	321050 690250
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B13NE (N)	291	1	321900 691450
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (N)	291	1	321880 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	295	1	321250 690300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14SW (N)	296	1	321950 691350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (N)	299	1	321900 691000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B9NE (N)	299	1	321900 690950
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13SE (N)	301	1	321900 691050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B5NW (SW)	314	1	321350 690200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	336	1	321650 691800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	336	1	321050 690150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9NE (NE)	337	1	321900 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	343	1	320950 690200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B10NW (N)	349	1	321950 691000
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SW (N)	365	1	322000 691100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	365	1	321880 691600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B10NW (NE)	382	1	321950 690800
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SW (NE)	387	1	322000 691050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	387	1	321150 690150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	392	1	321750 691800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	392	1	320950 690150
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B13NE (N)	396	1	321900 691600
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	404	1	320900 690150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	407	1	321200 690150
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B10NW (NE)	413	1	322000 690850
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(W)	417	1	320600 690450
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(N)	426	1	321880 691800
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (N)	428	1	321950 691600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	436	1	321050 690100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	436	1	321050 690050

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NE (SW)	437	1	321650 690250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	441	1	320950 690100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	443	1	321150 690100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B10NW (NE)	449	1	322050 691000
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B10NW (NE)	453	1	322050 690900
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B5NE (S)	453	1	321800 690300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B5NE (S)	454	1	321700 690250
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	455	1	321200 690100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NW (SW)	456	1	321400 690200
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B9SE (S)	461	1	321880 690350
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B14NW (N)	463	1	322000 691600
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	(SW)	467	1	320850 690100
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B5NW (SW)	470	1	321550 690200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	472	1	321250 690100
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B5NE (S)	475	1	321880 690300
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NE (SW)	475	1	321600 690200
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	B5NE (S)	475	1	321850 690300
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14SW (NE)	477	1	322100 691050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	487	1	321100 690050
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B9SE (S)	493	1	321900 690350
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B10SW (S)	495	1	321950 690400
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding to Occur at Surface	B10NW (NE)	498	1	322100 691000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Groundwater Flooding Susceptibility Flooding Type: Limited Potential for Groundwater Flooding to Occur	B14NW (N)	498	1	322000 691650
	BGS Groundwater Flooding Susceptibility Flooding Type: Potential for Groundwater Flooding of Property Situated Below Ground Level	(SW)	500	1	320900 690050
1	Discharge Consents Operator: Tractor Shovels Ltd Property Type: Not Supplied Location: Old Railway Cutting Camilla Farm Near Auchtertool Fife Authority: Scottish Environment Protection Agency, East Region Catchment Area: Not Supplied Reference: Wpc/E/3668 Permit Version: 1 Effective Date: Not Supplied Issued Date: 21st November 1979 Revocation Date: Not Supplied Discharge Type: Trade Effluent Discharge: Not Supplied Environment: Not Supplied Receiving Water: Not Supplied Status: Not Given Positional Accuracy: Located by supplier to within 100m	B13SW (NW)	0	2	321310 691060
2	Discharge Consents Operator: Esw Property Type: Not Supplied Location: Auchtertool Wwtw Auchtertool Fife Authority: Scottish Environment Protection Agency, East Region Catchment Area: Not Supplied Reference: Wpc/E/20667 Permit Version: 3 Effective Date: Not Supplied Issued Date: 17th September 1999 Revocation Date: Not Supplied Discharge Type: Public Sewage: Emergency Overflow Discharge: Not Supplied Environment: Not Supplied Receiving Water: Not Supplied Status: Not Given Positional Accuracy: Located by supplier to within 10m	B10NE (NE)	672	2	322270 690950
2	Discharge Consents Operator: Esw Property Type: Not Supplied Location: Auchtertool Wwtw Auchtertool Fife Authority: Scottish Environment Protection Agency, East Region Catchment Area: Not Supplied Reference: Wpc/E/20667 Permit Version: 1 Effective Date: Not Supplied Issued Date: 17th September 1999 Revocation Date: Not Supplied Discharge Type: Public Sewage Discharge: Not Supplied Environment: Not Supplied Receiving Water: Not Supplied Status: Not Given Positional Accuracy: Located by supplier to within 10m	B10NE (NE)	672	2	322270 690950
2	Discharge Consents Operator: Esw Property Type: Not Supplied Location: Auchtertool Wwtw Auchtertool Fife Authority: Scottish Environment Protection Agency, East Region Catchment Area: Not Supplied Reference: Wpc/E/20667 Permit Version: 2 Effective Date: Not Supplied Issued Date: 17th September 1999 Revocation Date: Not Supplied Discharge Type: Public Sewage: Storm Sewage Overflow Discharge: Not Supplied Environment: Not Supplied Receiving Water: Not Supplied Status: Not Given Positional Accuracy: Located by supplier to within 10m	B10NE (NE)	672	2	322270 690950

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
3	Discharge Consents Operator: Esw Property Type: Not Supplied Location: Auchtertool Stw Two Tier Authority: Scottish Environment Protection Agency, East Region Catchment Area: River Leven To River Black Devon Reference: Wpc/E/2706 Permit Version: 2 Effective Date: Not Supplied Issued Date: 27th September 1971 Revocation Date: Not Supplied Discharge Type: Public Sewage Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Not Given Positional Accuracy: Located by supplier to within 100m	B10NE (E)	707	2	322300 690900
3	Discharge Consents Operator: Esw Property Type: Not Supplied Location: Auchtertool Stw Two Tier Authority: Scottish Environment Protection Agency, East Region Catchment Area: River Leven To River Black Devon Reference: WPC/E/2706 Permit Version: 1 Effective Date: Not Supplied Issued Date: 27th September 1971 Revocation Date: Not Supplied Discharge Type: Public Sewage: Secondary (Biological Filters) Discharge: Not Supplied Environment: Receiving Water: Not Supplied Status: Not Given Positional Accuracy: Located by supplier to within 100m	B10NE (E)	707	2	322300 690900
	Nearest Surface Water Feature	B9NE (NW)	0	-	321600 691017
	Groundwater Vulnerability Geological Classification: Minor or Moderately Permeable Aquifer - Fractured or potentially fractured rocks which do not have a high primary permeability or other formations of variable permeability Soil Classification: Not classified Map Sheet: Map of Scotland Scale: 1:625,000	B9NE (NE)	0	3	321880 690768
	Groundwater Vulnerability Geological Classification: Non or Weakly Permeable Aquifer - These formations with negligible permeability that are generally regarded as containing insignificant quantities of groundwater Soil Classification: Not classified Map Sheet: Map of Scotland Scale: 1:625,000	B9SE (S)	0	3	321919 690527
	Drift Deposits Drift Deposit: Low permeability drift deposits which include till, head, peat, lacustrine deposits, clay-with-flints and brick earths Map Sheet: Map of Scotland Scale: 1:625,000	B9NW (W)	0	3	321552 690708
	River Flood Data (Scotland) None				
4	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 585.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B13SW (NW)	0	4	321305 691105
5	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 269.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B13SW (NW)	0	4	321556 691076

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
6	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 160.5 Watercourse Level: Not Supplied Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B13SW (NW)	0	4	321553 691083
7	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 8.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B13SW (NW)	0	4	321556 691076
8	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 10.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B13SW (NW)	0	4	321565 691073
9	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 69.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B9NW (NW)	0	4	321574 691011
10	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 133.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NW (NW)	0	4	321585 690955
11	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 9.3 Watercourse Level: Underground Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NE (NW)	6	4	321591 690948
12	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 307.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B13SE (NW)	13	4	321632 691223
13	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 81.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NW (W)	15	4	321586 690873
14	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 2.7 Watercourse Level: Underground Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NW (W)	72	4	321587 690870

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
15	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 117.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NE (NW)	75	4	321692 690855
16	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 60.5 Watercourse Level: Underground Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NE (NW)	148	4	321751 690869
17	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 556.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B9NE (N)	193	4	321865 690884
18	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 34.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B9SW (SW)	225	4	321307 690429
19	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 11.1 Watercourse Level: Underground Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B9SW (SW)	245	4	321287 690401
20	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 153.4 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B9SW (SW)	252	4	321280 690392
21	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 347.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Camilla Loch Catchment Name: South Fife Coastal Primacy: 1	B13SE (N)	253	4	321904 691354
22	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 18.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B13NE (N)	386	4	321901 691587
23	OS Water Network Lines Watercourse Form: Marsh Watercourse Length: 35.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B14NW (N)	386	4	321935 691580

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
24	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 504.6 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B6NW (S)	565	4	321984 690313
25	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 114.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B6NW (S)	585	4	321993 690313
26	OS Water Network Lines Watercourse Form: Lake Watercourse Length: 234.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B5NW (SW)	619	4	321350 690013
27	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 71.2 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B5SW (SW)	619	4	321369 690005
28	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 7.1 Watercourse Level: Underground Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B6NW (SE)	657	4	322103 690332
29	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 212.5 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B5NE (S)	658	4	321600 690023
30	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 100.3 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B5NE (S)	658	4	321600 690023
31	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 193.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B10SW (SE)	661	4	322215 690427
32	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 16.8 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B5SW (SW)	682	4	321400 689965

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
33	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 5.3 Watercourse Level: Underground Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B10NE (NE)	687	4	322286 690953
34	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 1017.0 Watercourse Level: On ground surface Permanent: True Watercourse Name: Dronachy Burn Catchment Name: South Fife Coastal Primacy: 1	B10NE (NE)	692	4	322291 690954
35	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 438.9 Watercourse Level: On ground surface Permanent: True Watercourse Name: Bottom Burn Catchment Name: South Fife Coastal Primacy: 1	B10SW (SE)	737	4	322251 690438
36	OS Water Network Lines Watercourse Form: Inland river Watercourse Length: 94.1 Watercourse Level: On ground surface Permanent: True Watercourse Name: Not Supplied Catchment Name: South Fife Coastal Primacy: 1	B5SE (S)	754	4	321648 689935
	Water Framework Directive - Catchment Class Code: Coastal Catchment WaterBody Name: Not Supplied WaterBody ID: 51 Operational: Not Applicable Catchment: Management Management: Not Applicable Catchment: Catchment Catchment Name: South Fife Coastal	B9NE (NE)	0	3	321880 690768
	Water Framework Directive - Catchment Class Code: River Catchment WaterBody Name: Not Supplied WaterBody ID: 52 Operational: Not Applicable Catchment: Management Management: Not Applicable Catchment: Catchment Catchment Name: River Leven (Fife)	B13NW (N)	166	3	321575 691675
	Water Framework Directive - Groundwater Waterbody Name: Burntisland Waterbody ID: 150555 URL Address: https://www.sepa.org.uk/data-visualisation/water-classification-hub/?display=information_sheet&waterbodyid=150555 Overall Rating: Good Chemical Rating: Good Quantitative: Good Measure: 2018	B9NE (NE)	0	3	321880 690768
	Water Framework Directive - Groundwater Waterbody Name: Burntisland bedrock and localised sand and gravel aquifers Waterbody ID: 150241 URL Address: https://www.sepa.org.uk/data-visualisation/water-classification-hub/?display=information_sheet&waterbodyid=150241 Overall Rating: Good Chemical Rating: Good Quantitative: Good Measure: 2011	B9SE (S)	0	3	321925 690625

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Water Framework Directive - Groundwater Waterbody Name: South Fife bedrock and localised sand and gravel aquifers Waterbody ID: 150410 URL Address: https://www.sepa.org.uk/data-visualisation/water-classification-hub/?display=information_sheet&waterbodyid=150410 Overall Rating: Poor Chemical Rating: Poor Quantitative Measure: Poor Year: 2011	B9NE (NE)	0	3	321880 690768
37	Water Framework Directive - Surface Waters Class Code: River Waterbody Name: Dronachy Burn Waterbody ID: 6883 URL Address: https://www.sepa.org.uk/data-visualisation/water-classification-hub/?display=information_sheet&waterbodyid=6883 Overall Rating: Moderate Chemical Rating: Not Supplied Classification Year: 2020	B9NE (N)	0	3	321865 690885
38	Water Framework Directive - Surface Waters Class Code: River Waterbody Name: Tiel Burn Waterbody ID: 6882 URL Address: https://www.sepa.org.uk/data-visualisation/water-classification-hub/?display=information_sheet&waterbodyid=6882 Overall Rating: Moderate Chemical Rating: Not Supplied Classification Year: 2020	B6NW (S)	565	3	321984 690313

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Local Authority Landfill Coverage Name: Fife Council - Has supplied landfill data		0	5	321880 690768
39	Potentially Infilled Land (Non-Water) Bearing Ref: SE Use: Unknown Filled Ground (Pit, quarry etc) Date of Mapping: 1992	B6NE (SE)	912	-	322380 690299
40	Potentially Infilled Land (Water) Use: Unknown Filled Ground (Pond, marsh, river, stream, dock etc) Date of Mapping: 1895	B9NW (W)	2	-	321504 690867

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS 1:625,000 Solid Geology Description: Strathclyde Group	B9NE (NE)	0	1	321880 690768
	BGS 1:625,000 Solid Geology Description: Unnamed Igneous Intrusion, Carboniferous To Permian	B9NW (W)	0	1	321430 690743
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: no data Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9NW (NW)	0	1	321493 690943
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: no data Chromium Concentration: 60 - 90 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B9NW (W)	0	1	321397 690743
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: no data Chromium Concentration: 90 - 120 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 30 - 45 mg/kg	B9NE (NE)	0	1	321880 690768
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: no data Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B13SE (NW)	0	1	321690 691080
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic Concentration: <15 mg/kg Cadmium Concentration: no data Chromium Concentration: 40 - 60 mg/kg Lead Concentration: <100 mg/kg Nickel Concentration: 15 - 30 mg/kg	B13NW (NW)	0	1	321299 691490

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9NW (NW)	0	1	321572 691014
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B13NW (NW)	0	1	321336 691421
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14NW (N)	0	1	322163 691624
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B13SW (NW)	0	1	321482 691163
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B13SW (NW)	0	1	321474 691094
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B9NE (NW)	36	1	321686 690894

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B9NE (NW)	45	1	321633 690953
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9NE (NW)	48	1	321720 690928
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13SE (NW)	73	1	321680 691062
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9NE (NW)	123	1	321795 690940
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B10NW (E)	165	1	322000 690768
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B9SE (S)	203	1	321850 690435

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B13NE (N)	210	1	321821 691423
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14NW (N)	340	1	321927 691505
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B13NE (N)	382	1	321880 691620
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14SW (N)	398	1	322040 691163
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10NW (NE)	469	1	322063 690925
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B10SW (S)	473	1	322000 690376

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10NW (E)	511	1	322080 690734
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B14SW (NE)	539	1	322200 691293
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B6NW (S)	546	1	321932 690300
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5NE (S)	546	1	321860 690144
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B14NW (N)	580	1	322195 691536
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B6NW (S)	594	1	322023 690307

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B14NW (NE)	608	1	322215 691534
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5NE (S)	615	1	321801 690141
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5NE (S)	619	1	321783 690131
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14SE (NE)	635	1	322295 691203
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5SE (S)	665	1	321619 690007
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 60 - 90 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5SE (S)	670	1	321604 690000

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14NW (NE)	674	1	322253 691606
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 90 - 120 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B6NW (S)	710	1	322000 690152
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B6NW (SE)	732	1	322141 690259
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B6NW (SE)	735	1	322152 690240
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10SW (SE)	746	1	322259 690427
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B10SW (SE)	746	1	322251 690414

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 40 - 60 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B14NE (NE)	753	1	322354 691579
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B6NW (S)	769	1	321972 690019
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 15 - 30 mg/kg Concentration:	B5SW (S)	797	1	321560 689753
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	B14NE (NE)	841	1	322441 691599
	BGS Estimated Soil Chemistry Source: British Geological Survey, National Geoscience Information Service Soil Sample Type: Sediment Arsenic <15 mg/kg Concentration: Cadmium no data Concentration: Chromium 120 - 180 mg/kg Concentration: Lead Concentration: <100 mg/kg Nickel 30 - 45 mg/kg Concentration:	(NE)	977	1	322579 691730
41	BGS Recorded Mineral Sites Site Name: Camilla Location: Camilla Loch, Auchtertool, Lochgelly, Fife Source: British Geological Survey, National Geoscience Information Service Reference: 23755 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Pathhead Formation Commodity: Sandstone Positional Accuracy: Located by supplier to within 10m	B13NW (NW)	45	1	321425 691543

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
42	BGS Recorded Mineral Sites Site Name: Mourn House Location: Auchtertool, Lochgelly, Fife Source: British Geological Survey, National Geoscience Information Service Reference: 24196 Type: Opencast Status: Ceased Operator: Unknown Operator Operator Location: Not Supplied Periodic Type: Carboniferous Geology: Kinghorn Volcanic Formation Commodity: Igneous and Metamorphic Rock Positional Accuracy: Located by supplier to within 10m	B6NE (SE)	903	1	322372 690302
	BGS Measured Urban Soil Chemistry No data available				
	BGS Urban Soil Chemistry Averages No data available				
	Coal Mining Affected Areas Description: In an area which may be affected by coal mining activity. It is recommended that a coal mining report is obtained from the Coal Authority. Contact details are included in the Useful Contacts section of this report.	B9NE (N)	0	6	321880 691000
	Non Coal Mining Areas of Great Britain Risk: Highly Unlikely Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Collapsible Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Compressible Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Ground Dissolution Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	0	1	321299 691490
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (NW)	0	1	321589 690958
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (W)	0	1	321674 690840
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	321464 690953
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	321572 691014
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (NW)	0	1	321795 690940
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	0	1	321741 691374
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	321487 690978
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B13SW (NW)	0	1	321522 691112

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	321523 690960
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	0	1	321390 691516
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9NE (N)	0	1	321880 690774
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	0	1	321509 691520
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B13SW (NW)	0	1	321283 691148
	Potential for Landslide Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	0	1	321909 691672
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B13SE (N)	32	1	321670 691339
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B13NW (NW)	35	1	321509 691538
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9NE (NW)	36	1	321817 690907
	Potential for Landslide Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (W)	139	1	321730 690808
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B13NE (N)	148	1	321793 691384
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SE (SW)	197	1	321738 690575
	Potential for Landslide Ground Stability Hazards Hazard Potential: Moderate Source: British Geological Survey, National Geoscience Information Service	B9NE (NW)	213	1	321817 690829
	Potential for Landslide Ground Stability Hazards Hazard Potential: Low Source: British Geological Survey, National Geoscience Information Service	B9SW (SW)	239	1	321412 690432
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	321572 691014
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NE (NW)	0	1	321795 690940
	Potential for Running Sand Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Running Sand Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	203	1	321850 690435
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: Very Low Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NE (NW)	0	1	321795 690940
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9NW (NW)	0	1	321572 691014

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
	Potential for Shrinking or Swelling Clay Ground Stability Hazards Hazard Potential: No Hazard Source: British Geological Survey, National Geoscience Information Service	B9SE (S)	203	1	321850 690435
	Radon Potential - Radon Affected Areas Affected Area: The property is in a Lower probability radon area (less than 1% of homes are estimated to be at or above the Action Level). Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768
	Radon Potential - Radon Protection Measures Protection Measure: No radon protective measures are necessary in the construction of new dwellings or extensions Source: British Geological Survey, National Geoscience Information Service	B9NE (NE)	0	1	321880 690768

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
43	Contemporary Trade Directory Entries Name: Castle Restorations Location: Auchtertool House, Auchtertool, Kirkcaldy, Fife, KY2 5XW Classification: Antiques - Repairing & Restoring Status: Inactive Positional Accuracy: Automatically positioned to the address	B9SE (SW)	90	-	321619 690641
44	Contemporary Trade Directory Entries Name: Fife Blacksmiths Location: 1, SANDERSON TERRACE, AUCHTERTOOL, KIRKCALDY, KY2 5XN Classification: Blacksmiths & Forgemasters Status: Active Positional Accuracy: Automatically positioned to the address	B9NE (W)	112	-	321671 690764
44	Contemporary Trade Directory Entries Name: C F Cruickshank Blacksmiths Location: Sanderson Terrace, Auchtertool, Kirkcaldy, Fife, KY2 5XN Classification: Blacksmiths & Forgemasters Status: Inactive Positional Accuracy: Manually positioned within the geographical locality	B9NE (W)	134	-	321691 690773
45	Contemporary Trade Directory Entries Name: Aapex Location: 2, Roadmans Cottage, Newbigging, Auchtertool, Kirkcaldy, Fife, KY2 5XJ Classification: Fireplaces & Mantelpieces Status: Inactive Positional Accuracy: Automatically positioned to the address	B10NW (E)	620	-	322189 690699
46	Contemporary Trade Directory Entries Name: J Rennie Location: Newbigging, Auchtertool, Kirkcaldy, Fife, KY2 5XJ Classification: Road Haulage Services Status: Inactive Positional Accuracy: Automatically positioned in the proximity of the address	B10SW (E)	672	-	322237 690644
47	Points of Interest - Commercial Services Name: Fife Blacksmiths Location: 1 Sanderson Terrace, Auchtertool, KY2 5XN Category: Construction Services Class Code: Metalworkers Including Blacksmiths Positional Accuracy: Positioned to address or location	B9NE (W)	112	7	321671 690764
48	Points of Interest - Manufacturing and Production Name: J & C Scobie Location: Camilla Farm, Auchtertool, KY2 5XW Category: Farming Class Code: Arable Farming Positional Accuracy: Positioned to address or location	B9NW (W)	48	7	321560 690836
49	Points of Interest - Manufacturing and Production Name: Tank Location: KY2 Category: Industrial Features Class Code: Tanks (Generic) Positional Accuracy: Positioned to address or location	B14SE (NE)	891	7	322551 691314
50	Points of Interest - Public Infrastructure Name: Sluice Location: KY2 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13SW (NW)	0	7	321376 691081
50	Points of Interest - Public Infrastructure Name: Weir Location: KY2 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13SW (NW)	0	7	321383 691085
50	Points of Interest - Public Infrastructure Name: Weir Location: KY2 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13SW (NW)	0	7	321384 691086
50	Points of Interest - Public Infrastructure Name: Sluice Location: KY2 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B13SW (NW)	0	7	321371 691079

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
51	Points of Interest - Public Infrastructure Name: Sluice Location: KY2 Category: Water Class Code: Weirs, Sluices and Dams Positional Accuracy: Positioned to an adjacent address or location	B5NW (SW)	622	7	321355 690012
52	Points of Interest - Public Infrastructure Name: Sewage Works Location: KY2 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to an adjacent address or location	B10NW (E)	663	7	322257 690909
52	Points of Interest - Public Infrastructure Name: Sewage Works Location: KY2 Category: Infrastructure and Facilities Class Code: Waste Storage, Processing and Disposal Positional Accuracy: Positioned to address or location	B10NE (E)	683	7	322277 690909
53	Points of Interest - Recreational and Environmental Name: Play Area Location: KY2 Category: Recreational Class Code: Playgrounds Positional Accuracy: Positioned to an adjacent address or location	B9SE (S)	277	7	321802 690566

Map ID	Details	Quadrant Reference (Compass Direction)	Estimated Distance From Site	Contact	NGR
54	Ancient Woodland Name: Not Supplied Reference: 34858 Area(m²): 23172.35 Type: Long-Established Woodland of Plantation Origin	B5SE (S)	716	8	321847 690000
55	Ancient Woodland Name: Not Supplied Reference: 34997 Area(m²): 33507.3 Type: Long-Established Woodland of Plantation Origin	B6NW (SE)	721	8	322110 690237
56	Ancient Woodland Name: Not Supplied Reference: 34981 Area(m²): 167567.58 Type: Long-Established Woodland of Plantation Origin	(N)	942	8	322180 692092
57	Ancient Woodland Name: Not Supplied Reference: 34859 Area(m²): 39101.15 Type: Ancient Woodland of Plantation Origin	B6SW (S)	994	8	322102 689877
58	Sites of Special Scientific Interest Name: Camilla Loch Multiple Areas: N Total Area (m2): 81749.53 Source: NatureScot Reference: 307 Designation Details: Biological Designation Date: 21st September 1989 Date Type: Designated	B13SE (N)	200	8	321925 691323

Agency & Hydrological	Version	Update Cycle
Contaminated Land Register Entries and Notices Scottish Environment Protection Agency - Head Office Fife Council - Regional Headquarters	November 2023 September 2017	Annually Annual Rolling Update
Discharge Consents Scottish Environment Protection Agency - East Region	April 2002	
Enforcement and Prohibition Notices Scottish Environment Protection Agency - East Region	March 2013	
Integrated Pollution Controls Scottish Environment Protection Agency - Head Office Scottish Environment Protection Agency - East Region	February 1998 March 2002	
Local Authority Pollution Prevention and Controls Scottish Environment Protection Agency - East Region	March 2002	Not Applicable
Local Authority Pollution Prevention and Control Enforcements Scottish Environment Protection Agency - East Region	June 2001	Variable
Nearest Surface Water Feature Ordnance Survey	February 2025	
Historical Prosecutions Scottish Environment Protection Agency, East Region	March 2013	Not Applicable
Registered Radioactive Substances Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - Head Office	April 1996 January 1998	
Water Abstractions Scottish Government - Agriculture, Environment and Fisheries Department	February 2004	
Water Industry Act Referrals Scottish Environment Protection Agency - East Region	April 1996	
Groundwater Vulnerability Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - Head Office	December 1995 December 1995	Not Applicable
Drift Deposits Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - Head Office	December 1995 December 1995	Not Applicable Not Applicable
OS Water Network Lines Ordnance Survey	January 2025	Quarterly
BGS Groundwater Flooding Susceptibility British Geological Survey - National Geoscience Information Service	May 2013	As notified
Water Framework Directive - Catchment Scottish Environment Protection Agency - Head Office	July 2023	Annually
Water Framework Directive - Groundwater Scottish Environment Protection Agency - Head Office	February 2024	Annually
Water Framework Directive - Surface Waters Scottish Environment Protection Agency - Head Office	July 2023	Annually

Waste	Version	Update Cycle
BGS Recorded Landfill Sites British Geological Survey - National Geoscience Information Service	November 2002	As notified
Integrated Pollution Control Registered Waste Sites Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - Head Office	March 2002 March 2002	Not Applicable Not Applicable
Local Authority Landfill Coverage Fife Council - Regional Headquarters	February 2003	Not Applicable
Local Authority Recorded Landfill Sites Fife Council - Regional Headquarters	October 2018	
Potentially Infilled Land (Non-Water) Landmark Information Group Limited	December 1999	
Potentially Infilled Land (Water) Landmark Information Group Limited	December 1999	
Registered Landfill Sites Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - East Region - Alloa Office Scottish Environment Protection Agency - East Region - Arboath Office Scottish Environment Protection Agency - East Region - Galashiels Office Scottish Environment Protection Agency - East Region - Glenrothes Office Scottish Environment Protection Agency - East Region - Perth Office Scottish Environment Protection Agency - East Region - Stirling Office Scottish Environment Protection Agency - Head Office	March 2006 March 2006 March 2006 March 2006 March 2006 March 2006 March 2006 March 2006 March 2006	Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable Not Applicable
Registered Waste Transfer Sites Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - East Region - Alloa Office Scottish Environment Protection Agency - East Region - Arboath Office Scottish Environment Protection Agency - East Region - Galashiels Office Scottish Environment Protection Agency - East Region - Glenrothes Office Scottish Environment Protection Agency - East Region - Perth Office Scottish Environment Protection Agency - East Region - Stirling Office Scottish Environment Protection Agency - Head Office	April 2018 April 2018 April 2018 April 2018 April 2018 April 2018 April 2018 April 2018	
Registered Waste Treatment or Disposal Sites Scottish Environment Protection Agency - East Region Scottish Environment Protection Agency - East Region - Alloa Office Scottish Environment Protection Agency - East Region - Arboath Office Scottish Environment Protection Agency - East Region - Galashiels Office Scottish Environment Protection Agency - East Region - Glenrothes Office Scottish Environment Protection Agency - East Region - Perth Office Scottish Environment Protection Agency - East Region - Stirling Office Scottish Environment Protection Agency - Head Office	June 2015 June 2015 June 2015 June 2015 June 2015 June 2015 June 2015 June 2015	

Hazardous Substances	Version	Update Cycle
Control of Major Accident Hazards Sites (COMAH) Health and Safety Executive	September 2024	Bi-Annually
Explosive Sites Health and Safety Executive	March 2017	
Notification of Installations Handling Hazardous Substances (NIHHS) Health and Safety Executive	August 2001	
Planning Hazardous Substance Enforcements Fife Council - Area Planning Office (West Area) Fife Council - Regional Headquarters Fife Council - Area Planning Office (East Area) Fife Council - Area Planning Office (Central Area)	August 2006 January 2016 June 2005 March 2023	Variable Annual Rolling Update Variable Variable
Planning Hazardous Substance Consents Fife Council - Regional Headquarters Fife Council - Area Planning Office (Central Area)	January 2016 January 2016	Annual Rolling Update Variable
Geological	Version	Update Cycle
BGS 1:625,000 Solid Geology British Geological Survey - National Geoscience Information Service	January 2009	As notified
BGS Estimated Soil Chemistry British Geological Survey - National Geoscience Information Service	December 2015	As notified
BGS Recorded Mineral Sites British Geological Survey - National Geoscience Information Service	April 2025	Bi-Annually
CBSCB Compensation District Cheshire Brine Subsidence Compensation Board (CBSCB) Cheshire Brine Subsidence Compensation Board (CBSCB)	August 2011 November 2020	As notified
Coal Mining Affected Areas The Coal Authority - Property Searches	February 2023	Annual Rolling Update
Mining Instability Ove Arup & Partners	June 1998	Not Applicable
Non Coal Mining Areas of Great Britain British Geological Survey - National Geoscience Information Service	May 2015	Not Applicable
Potential for Collapsible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	April 2020	As notified
Potential for Compressible Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Ground Dissolution Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Landslide Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Running Sand Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Potential for Shrinking or Swelling Clay Ground Stability Hazards British Geological Survey - National Geoscience Information Service	January 2019	As notified
Radon Potential - Radon Affected Areas British Geological Survey - National Geoscience Information Service	November 2024	Annually
Radon Potential - Radon Protection Measures British Geological Survey - National Geoscience Information Service	November 2024	Annually

Industrial Land Use	Version	Update Cycle
Contemporary Trade Directory Entries Thomson Directories	March 2025	Quarterly
Fuel Station Entries Green Street Advisor (UK) Ltd	December 2024	Quarterly
Points of Interest - Commercial Services PointX	March 2025	Quarterly
Points of Interest - Education and Health PointX	March 2025	Quarterly
Points of Interest - Manufacturing and Production PointX	March 2025	Quarterly
Points of Interest - Public Infrastructure PointX	March 2025	Quarterly
Points of Interest - Recreational and Environmental PointX	March 2025	Quarterly
Sensitive Land Use	Version	Update Cycle
Ancient Woodland NatureScot	March 2025	Bi-Annually
Areas of Adopted Green Belt Fife Council - Regional Headquarters	July 2024	Quarterly
Areas of Unadopted Green Belt Fife Council - Regional Headquarters	July 2024	Quarterly
Environmentally Sensitive Areas Scottish Government	August 2023	
Forest Parks Forestry Commission	May 2023	Not Applicable
Local Nature Reserves Fife Council - Regional Headquarters	February 2025	Bi-Annually
Marine Nature Reserves NatureScot	February 2025	Bi-Annually
National Nature Reserves NatureScot	August 2024	Bi-Annually
National Parks Scottish Government	September 2024	Bi-Annually
National Scenic Areas Scottish Government	November 2024	Bi-Annually
Nitrate Vulnerable Zones Scottish Government	November 2024	Annually
Ramsar Sites NatureScot	February 2025	Bi-Annually
Sites of Special Scientific Interest NatureScot	November 2024	Bi-Annually
Special Areas of Conservation NatureScot	February 2025	Bi-Annually
Special Protection Areas NatureScot	November 2024	Bi-Annually

A selection of organisations who provide data within this report

Data Supplier	Data Supplier Logo
Ordnance Survey	
Environment Agency	
Scottish Environment Protection Agency	
The Coal Authority	
British Geological Survey	 British Geological Survey NATURAL ENVIRONMENT RESEARCH COUNCIL
Centre for Ecology and Hydrology	 Centre for Ecology & Hydrology NATURAL ENVIRONMENT RESEARCH COUNCIL
Natural Resources Wales	
Scottish Natural Heritage	
Natural England	
Public Health England	
Ove Arup	
Stantec UK Ltd	

Contact	Name and Address	Contact Details
1	British Geological Survey - Enquiry Service British Geological Survey, Environmental Science Centre, Keyworth, Nottingham, Nottinghamshire, NG12 5GG	Telephone: 0115 936 3143 Fax: 0115 936 3276 Email: enquiries@bgs.ac.uk Website: www.bgs.ac.uk
2	Scottish Environment Protection Agency - East Region Clearwater House, Heriot Watt Research Park, Avenue North, Riccarton, Edinburgh, Midlothian, EH14 4AP	Telephone: 0131 449 7296 Fax: 0131 449 7277
3	Scottish Environment Protection Agency - Head Office Erskine Court, The Castle Business Park, Stirling, Stirlingshire, FK9 4TR	Telephone: 01786 457700 Fax: 01786 446885
4	Ordnance Survey Adanac Drive, Southampton, Hampshire, SO16 0AS	Telephone: 03456 05 05 05 Email: customerservices@ordnancesurvey.co.uk Website: www.ordnancesurvey.co.uk
5	Fife Council - Regional Headquarters Fife House, North Street, Glenrothes, Fife, KY7 5LT	Telephone: 01592 414141 Fax: 01592 414142 Website: www.fife.gov.uk
6	The Coal Authority - Property Searches 200 Lichfield Lane, Mansfield, Nottinghamshire, NG18 4RG	Telephone: 0345 762 6848 Fax: 01623 637 338 Email: groundstability@coal.gov.uk Website: www2.groundstability.com
7	PointX 5-6 Abbey Court, Eagle Way, Sowton, Exeter, Devon, EX2 7HY	Website: www.pointx.co.uk
8	NatureScot Great Glen House, Leachkin Road, Inverness, IV3 8NW	Telephone: 01463 725000 Email: enquiries@nature.scot Website: www.nature.scot
-	Public Health England - Radon Survey, Centre for Radiation, Chemical and Environmental Hazards Chilton, Didcot, Oxfordshire, OX11 0RQ	Telephone: 01235 822622 Fax: 01235 833891 Email: radon@phe.gov.uk Website: www.ukradon.org
-	Landmark Information Group Limited Landmark Information Group, Imperium, Imperial Way, Reading, Berkshire, RG2 0TD	Telephone: 0330 036 6618 Fax: 0844 844 9951 Email: helpdesk@landmark.co.uk Website: www.landmark.co.uk

Please note that the Environment Agency / Natural Resources Wales / SEPA have a charging policy in place for enquiries.

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location
- Pylon
- Overhead Transmission Line

Agency and Hydrological

- Contaminated Land Register Entry or Notice (Location)
- Discharge Consent
- Enforcement or Prohibition Notice
- Integrated Pollution Control
- Integrated Pollution Prevention and Control
- Local Authority Integrated Pollution Prevention and Control
- Local Authority Pollution Prevention and Control Enforcement
- Pollution Incident to Controlled Waters
- Prosecution Relating to Authorised Processes
- Prosecution Relating to Controlled Waters
- Registered Radioactive Substance
- River Network or Water Feature
- Substantiated Pollution Incident Register
- Water Abstraction
- Water Industry Act Referral

Hazardous Substances

- COMAH Site
- NIHHS Site
- Planning Hazardous Substance Consent
- Planning Hazardous Substance Enforcement
- Explosive Site


Waste

- BGS Recorded Landfill Site (Location)
- BGS Recorded Landfill Site
- Integrated Pollution Control Registered Waste Site
- Local Authority Recorded Landfill Site (Location)
- Local Authority Recorded Landfill Site
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Non-water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Potentially Infilled Land (Water)
- Registered Landfill Site
- Registered Landfill Site (Location)
- Registered Landfill Site (Point Buffered to 100m)
- Registered Landfill Site (Point Buffered to 250m)
- Registered Waste Transfer Site (Location)
- Registered Waste Transfer Site
- Registered Waste Treatment or Disposal Site (Location)
- Registered Waste Treatment or Disposal Site

Geological

- BGS Recorded Mineral Site

Site Sensitivity Map - Segment B9




Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 321880, 690770
Slice: B
Site Area (Ha): 68.73
Plot Buffer (m): 100


Site Details

Site at 321280, 691110



- General**
- Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Type at Location
 - Pylon
 - Overhead Transmission Line
- Agency and Hydrological**
- Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
 - COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Waste**
- BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - Integrated Pollution Control Registered Waste Site
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**
- COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement
- Geological**
- BGS Recorded Mineral Site

Site Sensitivity Map - Segment B13




Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 321880, 690770
Slice: B
Site Area (Ha): 68.73
Plot Buffer (m): 100

Site Details

Site at 321280, 691110



- General**


 - Specified Site
 - Specified Buffer(s)
 - Bearing Reference Point
 - Map ID
 - Several of Types at Location
- Agency and Hydrological**

 - Contaminated Land Register Entry or Notice (Location)
 - Contaminated Land Register Entry or Notice
 - Discharge Consent
 - Enforcement or Prohibition Notice
 - Integrated Pollution Control
 - Integrated Pollution Prevention Control
 - Local Authority Integrated Pollution Prevention and Control
 - Local Authority Pollution Prevention and Control Enforcement
 - Pollution Incident to Controlled Waters
 - Prosecution Relating to Authorised Processes
 - Prosecution Relating to Controlled Waters
 - Registered Radioactive Substance
 - River Network or Water Feature
 - Substantiated Pollution Incident Register
 - Water Abstraction
 - Water Industry Act Referral
- Waste**

 - BGS Recorded Landfill Site (Location)
 - BGS Recorded Landfill Site
 - Integrated Pollution Control Registered Waste Site
 - Local Authority Recorded Landfill Site (Location)
 - Local Authority Recorded Landfill Site
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Non-water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Potentially Infilled Land (Water)
 - Registered Landfill Site (Location)
 - Registered Landfill Site (Point Buffered to 100m)
 - Registered Landfill Site (Point Buffered to 250m)
 - Registered Waste Transfer Site (Location)
 - Registered Waste Transfer Site
 - Registered Waste Treatment or Disposal Site (Location)
 - Registered Waste Treatment or Disposal Site
- Hazardous Substances**


 - COMAH Site
 - Explosive Site
 - NIHHS Site
 - Planning Hazardous Substance Consent
 - Planning Hazardous Substance Enforcement

Site Sensitivity Map - Slice B



Order Details
Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 321880, 690770
Slice: B
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details
Site at 321280, 691110



© Crown copyright and database rights 2025 OS AC0000813445



GEO-ENVIRONMENTAL & MINERALS
Industrial Land Use Map


General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Slice
- Map ID

Industrial Land Use

- Contemporary Trade Directory Entry
- Fuel Station Entry
- Points of Interest - Commercial Services
- Points of Interest - Education and Health
- Points of Interest - Manufacturing and Production
- Points of Interest - Public Infrastructure
- Points of Interest - Recreational and Environmental
- Underground Electrical Cables

Industrial Land Use Map - Slice B



Order Details


Order Number: 375590888_1_1
 Customer Ref: ZG116-01
 National Grid Reference: 321880, 690770
 Slice: B
 Site Area (Ha): 68.73
 Search Buffer (m): 1000

Site Details

Site at 321280, 691110



Tel: 0844 844 9952
 Fax: 0844 844 9951
 Web: www.envirocheck.co.uk



General


- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Agency and Hydrological (Flood)

- 0 - 1m estimated 100yr flood depth
- 1 - 2m estimated 100yr flood depth
- Over 2m estimated 100yr flood depth

The flooded areas have been generated using a generalised technique and should not, by themselves, be used to infer that specific areas are or are not at risk of inundation. Flood risk at any specific location may be influenced by local factors - not least flood defence - that have not been taken into account.

Flood Map - Slice B




Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 321880, 690770
Slice: B
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details

Site at 321280, 691110



© Crown copyright and database rights 2025 OS AC0000813445

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point
- Map ID
- Several of Type at Location


Agency and Hydrological (Boreholes)

- BGS Borehole Depth 0 - 10m
- BGS Borehole Depth 10 - 30m
- BGS Borehole Depth 30m +
- Confidential
- Other

For Borehole information please refer to the Borehole .csv file which accompanied this slice.

A copy of the BGS Borehole Ordering Form is available to download from the Support section of www.envirocheck.co.uk.

Borehole Map - Slice B



Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 321880, 690770
Slice: B
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details

Site at 321280, 691110

General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point


OS Water Network Data

- | | |
|--------------|-------------------------|
| Canal | Drain |
| Reservoir | Other |
| Foresore | Lake |
| Marsh | Transfer |
| Tidal River | Lock Or Flight Of Locks |
| Inland River | Sea |

Contours (height in meters)

- | | | |
|------------------|--|-------------------------|
| Standard Contour | | Mean Low Water Springs |
| Master Contour | | Mean High Water Springs |
| Spot Height | | |

OS Water Network Map - Slice B





Order Details

Order Number: 375590888_1_1
 Customer Ref: ZG116-01
 National Grid Reference: 321880, 690770
 Slice: B
 Site Area (Ha): 68.73
 Search Buffer (m): 1000

Site Details

Site at 321280, 691110





General

- Specified Site
- Specified Buffer(s)
- Bearing Reference Point

Risk of Flooding from Surface Water


- High - 30 Year Return
- Medium - 100 Year Return
- Low - 1000 Year Return

Suitability

See the suitability map below

- National to county
- County to town
- Town to street
- Street to parcels of land
- Property

EA/NRW Suitability Map - Slice B



Order Details

Order Number: 375590888_1_1
Customer Ref: ZG116-01
National Grid Reference: 321880, 690770
Slice: B
Site Area (Ha): 68.73
Search Buffer (m): 1000

Site Details

Site at 321280, 691110